

imuno® Oral Dosage Recommendations

In General: Start slow with 0.05ml (1 drop) every 3 days and titrate up as tolerated.

Dose to Support the Healthy Immune System in Cancer Care Support

- Adult Serving Size: 0.1ml (2 drops) to 0.2 ml (4 drops) daily.
- Child Serving Size: 0.05ml (1 drop) to 0.1 ml (2 drops) daily.

Dose to Support the Healthy Immune System in Fatigue (Viral or Bacterial load)

- Adult Serving Size: 0.1ml (2 drops) to 0.2 ml (4 drops) twice weekly.
- Child Serving Size: 0.05ml (1 drop) to 0.1 ml (2 drops) twice weekly.

imuno® Dose to Support the Healthy Immune System with the Care of Autistic Children. (titrate up from 0.02ml)

Weight	Volume	Units	Frequency
15 to 20 kg (33 to 44 lbs)	0.04 ml	4	weekly
20 to 25 kg (44 to 55 lbs)	0.05 ml	5	weekly
25 to 30 kg (55 to 66 lbs)	0.06 ml	6	weekly
30 to 35 kg (66 to 77 lbs)	0.07 ml	7	weekly
35 to 40 kg (77 to 88 lbs)	0.08 ml	8	weekly
40 to 45 kg (88 to 99 lbs)	0.09 ml	9	weekly
45+ kg (99+ lbs)	0.1 to 0.25 ml	10 to 25	weekly

Administration

Shake well to homogenize the emulsion (product separation is typical and no quality defect).

Needleless Syringe - under the tongue

- Product is sterile and may be administered orally.
- Keep in the mouth for at least 2 minutes to support absorption by the oral mucosa.
- Then swallow. The bioavailability of imuno® is increased by digestion.
- Do NOT drink or eat for at least 30 minutes after taking.

Nasal Spray Bottle – absorbed by the mucosa cells

- Optional nasal/oral spray bottle available with imuno® purchase.
- Delivers approximately 0.1ml spray volume per pump.

Nebulization – absorbed into the lungs

- Offers rapid ingestion into the blood supply for good result.
- Purchase a nebulizer, needle syringes, and sterile saline solution from your Chemist/Drug store.
- Extract imuno® with a needle syringe (leaves remaining vial contents sterile).
- Dissolve required dose of imuno® in 3 to 5 ml of 0.9% Saline Solution in the nebulizer chamber.
- Nebulize and breathe it in through your mouth.

Dietary Supplement or Cosmetic Use

imuno® is designed and sold as a dietary supplement, and as a cosmetic for beautiful skin.

Safety

Chondroitin Sulfate has a blood thinning effect similar to heparin, so when taking larger doses, people on anticoagulant drugs, are advised to be under medical supervision.

imuno® is pH neutral and sterile due to the requirement to microsize the formulation. Being pH neutral and sterile also means imuno® is safe to use in all the ways that your doctor may prescribe. Please ask your doctor for advice.

Disclaimer: None of our products are intended to diagnose, treat, cure, or prevent any disease. Our products are chosen for their ability to support the body's healthy immune system, and larger doses of supporting products may be required in times of stress. Just like more food is required, when more exercise is undertaken. For ease of understanding, we have listed some conditions where the immune system may require specific support, but this is not to be interpreted to mean we are in any way treating these diseases.

How to Load Supplied Needleless Syringe

1. Prise the plastic flip-top disk from the top of the vial.
2. Remove the vial adapter from the packaging and push it onto the top of the vial. The plastic spike will pierce the grey stopper visible in the centre of the metal top, and the adapter will clip into place.
3. Push the closed syringe firmly into the top of the vial adapter (depressing the blue rubber valve).
4. Invert the vial with the syringe underneath and draw the syringe open to the required amount (i.e. 0.2 ml)
5. Turn the vial upright and remove the syringe from vial adapter. The valve will close and seal the vial/adapter on syringe removal.
6. Use the required dose from the syringe.

Note: Every division on the supplied 1ml oral syringe equals 0.02ml, with major divisions numbered at each 0.1ml.

